


FRAME AND COVER TO BE ALHAMBRA FOUNDRY #A-1530 (GALVANIZED WITH LOCKING SET SCREWS) OR APPROVED EQUAL.

| | |
|--------------------|----|
| H | T |
| 8'-0" OR LESS | 6" |
| 8'-1" TO 20'-0" | 8" |



NOTES:

1. OS = CURB OPENING SMALL.
2. FOR DETAILS & NOTES, SEE STANDARD PLAN NO.303.
3. FOR LOCAL DEPRESSIONS, SEE STANDARD PLAN NO.304.
4. CURB OPENING SHALL CONFORM TO CURB ALIGNMENT.

NO SCALE

| <p>REVISIONS</p> <table border="1"> <thead> <tr> <th>DATE</th> <th>DESCRIPTION</th> <th>APP'D</th> </tr> </thead> <tbody> <tr> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> </tbody> </table> | | | DATE | DESCRIPTION | APP'D | | | | | | | | | | <p>CITY OF TUSTIN IMPROVEMENT STANDARD</p> <p>CATCH BASIN - INLET TYPE OS</p> | | <p>STD. NO.</p> <p>303</p> |
|---|-------------|-------|----------------------|----------------------|-------|--|--|--|--|--|--|--|--|--|---|--|----------------------------|
| DATE | DESCRIPTION | APP'D | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| <p>APP'D <i>James D. Pender</i></p> | | | <p>CITY ENGINEER</p> | <p>DATE 10/25/01</p> | | | | | | | | | | | | | |